

# Integrated Single DishDrawer Dishwasher, Sanitize

Series 9 | Integrated

Panel Ready




A compact size to fit anywhere, room to wash a half load, and less bending.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

- American Disabilities Act (ADA) compliant, this can be installed at an accessible height for loading and unloading

## DIMENSIONS

Height	16 1/8 "
Width	23 9/16 "
Depth	21 3/4 "



## FEATURES & BENEFITS

### SEAMLESS INTEGRATION

Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.

### Ease of use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

### Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

### Knock to pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

### Quiet performer

Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

## SPECIFICATIONS

### Accessories (included)

- Cutlery basket
- Knife clip and multipurpose clip

### Accessories (sold separately)

Door panel stainless steel	<b>ADDD24SPX</b>
Handle kit Classic	<b>AHCL-DDDW-24X</b>
Handle kit Contemporary round, aluminium	<b>AHS-OBDD-60S</b>

Handle kit Contemporary square fine, aluminium	<b>AHD5-OBDD-60SX</b>
Handle kit Contemporary square fine, black	<b>AHD5-OBDD-60SB</b>
Handle kit Contemporary square, aluminium	<b>AHD3-OBDD-60S</b>
Handle kit Professional round flush	<b>AHP3-DWDD-SX</b>
Handle kit Professional round flush, Brass off-stands	<b>AHP3DDDWW24BA</b>
Handle kit Professional round flush, Dark Copper off-stands	<b>AHP3DDDWW24DC</b>

- Keylock
- Knock to pause
- Rinse aid indicator light
- Smart appliance
- Wi-Fi connectivity

**Safety and compliance**

- ADA compliant

**Warranty**

Parts and labor **Limited 2 years**

**Features**

- Fan assisted drying
- Flow through detergent dispenser
- Quiet operation
- SmartDrive™ technology

**Wash Program Modifiers**

- Extra Dry
- Quick
- Sanitise
- Wash modifiers **3**

**Capacity and loading**

Accommodates round plates up to	<b>11"</b>
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	<b>7</b>
Place settings	<b>7</b>

**Performance**

Noise emissions **43 dBA**

**Wash Programs**

- Delicate
- Eco
- Fast
- Heavy
- Medium
- Rinse
- Wash programs **6**

**Consumption**

Energy usage	<b>144kWh/year</b>
In-use energy carbon emissions estimate	<b>52.8kgCO2e/year</b>
Water usage (per wash cycle)	<b>1.64 gal</b>

**Power Requirements**

Amperage	<b>5A</b>
Electric circuit	<b>3 wire</b>
Rated current	<b>15 A</b>
Supply frequency	<b>60Hz</b>
Supply voltage	<b>100 - 120V</b>

**Controls**

- Electronic fault/Diagnostic indicator
- End of cycle beeps
- Energy saving delay start option of up to 12 hours
- Internal wash selector

**Product Dimensions**

Depth	<b>21 3/4 "</b>
Height	<b>16 1/8 "</b>
Width	<b>23 9/16 "</b>

**Water connection**

Inlet water temperature **Max 140 °F**

Supplied hose to suit 3/8" (9mm) male compression fitting

Water pressure **30kPa - 1000 kPa**

Water supply	<b>3/8" to suit Male Compression Fitting</b>
SKU	82342

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at [fisherpaykel.com](http://fisherpaykel.com)

- [↓ 2D-DWG Integrated Single DishDrawer™ Dishwasher](#)
- [↓ 2D-DXF Integrated Single DishDrawer™ Dishwasher](#)
- [↓ Data Sheet Integrated Single DishDrawer™ Dishwasher](#)
- [↓ Energy Label Single DishDrawer™ Dishwasher](#)
- [↓ Service & Warranty](#)
- [↓ Installation Guide DishDrawer™ Dishwasher Venting Kit EN](#)
- [↓ Installation Guide Single Dish Drawer EN](#)
- [↓ Planning Guide Integrated Single DishDrawer™](#)
- [↓ Planning Guide Professional Style Dial/Handle Accessories](#)
- [↓ Quick Start Guide](#)
- [↓ Revit Single DishDrawer™ Dishwasher](#)
- [↓ Rhino Single DishDrawer™ Dishwasher](#)
- [↓ Rhino Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle](#)
- [↓ Sketchup Single DishDrawer™ Dishwasher](#)
- [↓ Sketchup Single DishDrawer™ Dishwasher with Door Panel and Contemporary Square Handle](#)
- [↓ User Guide DishDrawer™ Dishwasher EN](#)

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
24 Hours 7 Days a Week Customer Support  
T 1.888.936.7872 W [www.fisherpaykel.com](http://www.fisherpaykel.com)