



Laundry Tower Single Unit Front Load 4.5 Cu. Ft. Washer & 8 Cu. Ft.

Electric Dryer

Laundry Tower

Available Products: ELTE7600AT, ELTE7600AW

Available Colors: Titanium, White

Version: 06/24

## Product Specifications

|                             |                 |                          |                 |
|-----------------------------|-----------------|--------------------------|-----------------|
| <b>Washer</b>               |                 | <b>Washer Cycles</b>     |                 |
| Drum Light                  | Yes             | Cycle Count              | 8               |
| Drum Material               | Stainless Steel | Activewear               | Yes             |
| Maximum Spin Speed          | 1300 RPM        | Clean Washer             | Yes             |
| Water Heater                | Yes             | Delicates                | Yes             |
|                             |                 | Fast Wash                | Yes             |
|                             |                 | Heavy Duty               | Yes             |
|                             |                 | Normal                   | Yes             |
|                             |                 | Optic Whites             | Yes             |
|                             |                 | Rinse and Spin           | Yes             |
| <b>Washer Options</b>       |                 | <b>Soil Levels</b>       |                 |
| Allergen                    | Yes             | Light                    | Yes             |
| Delay Start Time            | 1-12 Hours      | Normal                   | Yes             |
| Perfect Steam               | Yes             | Heavy                    | Yes             |
| Pure Rinse                  | Yes             | Solid Soil               | Yes             |
| Stain Soak                  | Yes             |                          |                 |
| <b>Washer Spin Speeds</b>   |                 | <b>Dryer</b>             |                 |
| Spin Speed Selections       | 4               | Balanced Dry             | Yes             |
| Max                         | Yes             | Drum Back Type           | Painted Steel   |
| Medium                      | Yes             | Drum Material            | Stainless Steel |
| Low                         | Yes             | Dryness Level Selections | Yes             |
| No Spin                     | Yes             | Lint Filter              | Yes             |
|                             |                 | Moisture Sensor          | Yes             |
| <b>Temperature Settings</b> |                 | <b>Dryer Options</b>     |                 |
| Eco Cold                    | Yes             | Delay Start Time         | 1-12 Hours      |
| Warm                        | Yes             | Drum Light               | Yes             |
| Hot                         | Yes             | Dry Boost                | Yes             |
| Sanitize                    | Yes             | Extended Tumble          | Yes             |
|                             |                 | Perfect Steam            | Yes             |
|                             |                 | Wrinkle Release          | Yes             |
| <b>Dispenser</b>            |                 | <b>Dryness Level</b>     |                 |
| Bleach Dispenser            | Yes             | High                     | Yes             |
| Detergent Dispenser         | Yes             | Normal                   | Yes             |
| Fabric Softener Dispenser   | Yes             | Low                      | Yes             |
| Prewash Detergent Dispenser | Yes             | Damp                     | Yes             |
| PODs Dispenser              | Yes             |                          |                 |
| <b>Dryer Cycles</b>         |                 | <b>Exterior</b>          |                 |
| Cycle Count                 | 8               | Door Latch               | Yes             |
| Activewear                  | Yes             | Reversible Door          | Yes             |
| Allergen                    | Yes             |                          |                 |
| Delicates                   | Yes             |                          |                 |
| Fast Dry                    | Yes             |                          |                 |
| Heavy Duty                  | Yes             |                          |                 |
| Instant Refresh             | Yes             |                          |                 |
| Normal                      | Yes             |                          |                 |
| Timed Dry Time              | Yes             |                          |                 |

We reserve the right to change specifications or discontinue models without notice.

Electrolux Major Appliances, N.A.

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • Charlotte, NC 28262 • 1-877-4electrolux (1-877-435-3287) • [electrolux.com/en](http://electrolux.com/en)

CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • [electrolux.ca](http://electrolux.ca)

Cu. Ft. Electric Dryer

Available Products: ELTE7600AT, ELTE7600AW

Available Colors: Titanium, White

Version: 06/24

**Drying Temperatures**

|          |     |
|----------|-----|
| Normal   | Yes |
| High     | Yes |
| Sanitize | Yes |
| Eco Dry  | Yes |

**Controls**

|                          |                 |
|--------------------------|-----------------|
| Cancel                   | Yes             |
| Child Lock               | Yes             |
| Cycle Status Lights      | Yes             |
| Delay Start              | Yes             |
| Estimated Time Remaining | Yes             |
| Control Lock             | Yes             |
| How to Cancel            | Key Combination |
| Pause Function           | Yes             |
| Power On/Off             | Yes             |
| Start                    | Yes             |

**Dimensions and Volume**

|                                |             |
|--------------------------------|-------------|
| Height                         | 76 1/4"     |
| Width                          | 27"         |
| Depth                          | 32"         |
| Minimum Depth for Installation | 36"         |
| Washer Drum Capacity           | 4.5 Cu. Ft. |
| Dryer Drum Capacity            | 8 Cu. Ft.   |

**Energy Data**

|                   |              |
|-------------------|--------------|
| Energy Efficiency | Tier 2       |
| kWh/year          | 85 kWh       |
| Water Usage/Year  | 4248 Gallons |

**General Specifications**

|                      |          |
|----------------------|----------|
| Chime On / Chime Off | Yes      |
| Leveling Legs        | Yes      |
| Prop 65 Label        | Yes      |
| Warranty - Labor     | 1 Year   |
| Warranty - Motor     | 10 Years |
| Warranty - Parts     | 1 Year   |
| Warranty - Tub       | Lifetime |

**Performance Certifications and Approvals**

|                       |        |
|-----------------------|--------|
| CEE Tier              | Tier 2 |
| ENERGY STAR Certified | Yes    |

**Electrical Specifications**

|  |          |
|--|----------|
| Minimum Circuit Required (Dryer)           | 30 Amps  |
| Minimum Circuit Required (Washing Machine) | 15 Amps  |
| Voltage Rating (Dryer)                     | 208/240v |
| Voltage Rating (Washing Machine)           | 120v     |

**Installation**

|                            |        |
|----------------------------|--------|
| Dryer Power Cord Included  | No     |
| Washer Power Cord Included | Yes    |
| Ventilation Type           | Vented |

**Certifications and Approvals**


|               |    |
|---------------|----|
| ADA Compliant | No |
|---------------|----|

**Safety Certifications and Approvals**

|           |     |
|-----------|-----|
| UL Listed | Yes |
|-----------|-----|

## Installation Diagram

### Laundry Center Dimensions



<sup>1</sup> Dryer electrical supply on rear of unit.

#### NOTE

- Allow minimum 36" of depth space for proper installation with 90° quick turn elbow for venting.
- Connection of water inlet hose on steam laundry center adds 3/4 in. (2 cm) to installation depth.
- Power supply cord length on washer approximately 60 inches (152.5 cm).
- Drain hose length on washer approximately 59 inches (150 cm).
- Power supply cord length on gas laundry center or electric Canadian laundry center approximately 60 inches (152.5 cm).

| Laundry Center Dimensions                        |                |
|--|----------------|
| 1. Unit width                                    | 27" (69 cm)    |
| 2. Height to gas supply pipe on rear of gas unit | 39.7" (101 cm) |
| 3. Centerline height for rear vent               | 41.8" (106 cm) |
| 4. Floor line                                    | --             |
| 5. Unit height                                   | 76.3" (194 cm) |
| 6. Door clearance                                | 53.9" (137 cm) |
| 7. Unit depth                                    | 31.9" (81 cm)  |
| 8. Width distance to water connections           | 7.8" (20 cm)   |
| 9. Height to water connections                   | 35.7" (91 cm)  |
| 10. Height to washer power connections           | 35.5" (91 cm)  |
| 11. Width distance to washer power connections   | 7.1" (18 cm)   |
| 12. Height to dryer electrical supply            | 48" (122 cm)   |