



# Super Combo

## ALL-IN-ONE COMBO WASHER-DRYER

### Sanitize • Allergen • Winterize

All-In-One CONVERTIBLE Washer-Dryer 18lb/1.9cf SANITIZE ALLERGEN Cycle 1400RPM

#### HIGHLIGHTS



- QR Code
- Touch Buttons
- 2 Min Winterize Cycle
- Color Coded LED Display
- Anti Bacterial Drum Baffle
- Dual fans for Faster Drying
- Low Water Pressure Valves
- Diagnostics (13 error codes)
- Automatic Water & Dry Level
- Allergen Cycle Kills Dust Mites
- Sanitize Cycle Disinfects Clothes
- Compliant with Prop 65 (California)

#### WASH CYCLES

- NORMAL
- Prewash
- Heavy
- ECO
- Quick 20
- Delicate
- Wool
- Quiet 60 db
- Allergen
- Sanitize

#### DRY CYCLES

- Sensor Dry
- Time Dry 60 min
- Refresh 12 min


#### OPTIONS

- Rinse/Spin
- Self-Clean
- Winterize



White

#### Color Options



#### FEATURES

- Child lock
- Delay Start
- Oversuds Control
- Add-a-sock option
- End of cycle chime
- Start / Pause function
- Easy to open coin trap
- Adjustable Leveling legs - 4
- Easy to install - remove 3 shipping rods
- Electronic control panel with LED Lights
- Energy saving - auto display off after 5 min
- Venting Booster fan option to blow air 50 ft
- Angled 45° door handle (Reduces bending)

#### SPECIFICATIONS

Model	EZ 5500 CV
Colors	White, Blue, SILVER/BLACK, YELLOW/Black, GREEN/Black, RED/Black, BLUE/Black, WHITE/Black, PERIWINKLE/Black
Capacity	1.9 cu.ft.
Programs	15
Door Diameter / Swing	18" / 180°
Dry Ventilation	Convertible Venting / Condensing
Wash Only & Dry Only Option	Yes
Pre-Wash Function	Yes
Automatic Door Lock in Wash	Yes
Water Intake in Drum	Circumference & Back
Stainless Steel Drum	Yes, Pearl Design
Spin Speed	1400 rpm
Exhaust Fan	0.5 A
Fan Motor	65 Watt
Electrical	110V / 60Hz / 12A
Weight (Net/Gross) lbs	190 / 200
Product Dimensions HxWxD (inch)	33.5 x 23.5 x 24.8
Packaging Dimensions HxWxD (inch)	35 x 26 x 26
Type of Shipping	LTL
Certification	ETL
Warranty	1 Year Parts and Labor

Keywords: Sanitize, Allergen cycle, Anti-Bacterial drum baffles, Winterize, Color coded LED Display, Quiet Cycle, Delay Start



Equator Appliances Appliances • 10222 Georgibelle Drive, Suite 200 • Houston, TX 77043-5249

Toll Free: 800-935-1955 • www.EquatorAppliances.com • E-Mail: mail@EquatorAppliances.com

**PATENT  
PENDING**



## Awards and Recognitions



# Super Combo - Model EZ 5500 CV

## DEFINITIONS

**Venting Combo:** The dryer air is exhausted externally from the machine

**Condensing Combo:** A water cooled system is used to extract moisture from the dryer heat and expel through the drain pump

**Convertible Combo:** A single unit that can be converted from Venting drying to Condensing drying by the press of a button

## ENERGY SAVING

**Automatic Water Level:** Weighs the clothes to automatically use the correct amount of water required

**Sensor Dry:** Moisture sensor selects the correct amount of time to dry the clothes

**Delay Start:** Set the start time up to 24 hours later, in one hour increments

## INNOVATIVE WASHING

**Winterize Cycle:** Winterize your machine in 2 minutes. Pour antifreeze and Start

**Allergen Cycle:** Special cycle to kill dust mites. The water is heated to 131° F and kept at that temp for 3 minutes

**Sanitize Cycle:** Water is heated to 165° F to sanitize clothes. Perfect for people working in contaminated environments to protect family eg. hospital

**Quiet Cycle:** Clothes are washed and dried at low RPM with noise level less 60 dB. Perfect for families working in different shifts, babies and seniors

## BETTER DRYING

**Exhaust fan:** Super Combo has an exhaust fan that will work in the venting cycle, in addition to the turbo blower fan. This dries the clothes faster

**Refresh function:** A 12 minute hot dryer cycle to refresh clothes before folding

## SPECIAL FEATURES

**Self-clean option:** Runs a short wash to clean the drum

**Child lock:** Locks all operations during a cycle so a child cannot operate it

**Pause:** Stop the operations at any time of the cycle for any reason

**Add-a-Sock:** Open the door during a wash cycle to add clothes

**End of cycle chime:** The machine will chime at the end of the program every 5 minutes until any button is pressed or the door is opened

## FASTER SERVICE

**Built-in Diagnostics:** Choice of 13 error codes inform the user of possible problems, reducing down-time for service

