

M 2241 SC Built-in microwave oven, 24" width with sensor controls on the side for convenient operation.



- 7-segment display with sensor controls – EasySensor
- Perfect defrosting and cooking Automatic Programs
- Food remains at serving temperature keep warm function
- Compact 0.92 cu. ft. oven capacity
- Popcorn and drinks at the touch of a button

EAN: 4002516540335 / Material number: 11845640 / Old Material Number: 24224120USA

Design	
Appliance color	Obsidian black
Construction type and design	Obsidial Foldor
Built-in microwave oven	•
Neutral design	
SideControl	
Convenience features	
Keep-warm function	•
Operating modes	_
MasterChef automatic programs	•
Microwave solo operation	
User convenience	_
	FooyCoppor
Display Depart unation	EasySensor
Popcorn function	
Drinks functions	<u> </u>
Time of day display	<u> </u>
Minute minder	<u> </u>
Programmable cooking time	<u> </u>
Minute Plus button	<u> </u>
Individual settings	•
Efficiency and sustainability	
Night dimming	•
Cleaning convenience	
Stainless-steel oven cavity	•
Safety	
System lock	
Safety switch	<u> </u>
Child lock "Door" in display	•
Technical data	
Cavity volume in cu.ft (I)	0.92 (26)
Door hinge side	Left
Oven interior lighting	1 LED spot
Cavity height in in. (cm)	8 1/4 (20.7)
Turntable diameter in in. (cm)	12 7/8 (32.5)
Electronically controlled microwave power	<u>•</u>
Microwave power levels	1-7
Maximum microwave output in W	900
Niche width min. in inches (mm)	22 1/4 (562)
Niche width max. in inches (mm)	22 3/8 (568)
Niche height min. in inches (mm)	17 3/4 (450)
Niche height max. in inches (mm)	17 7/8 (452)
Niche depth in in. (mm)	500
Appliance dimensions (W x H x D) in inches (mm)	23 1/2 (595) x 17 7/8 (452) x 15 7/8 (401)
Appliance width in in. (mm)	23 1/2 (595)
Appliance height in in. (mm)	17 7/8 (452)
Appliance depth in in. (mm)	15 7/8 (401)
Niche-independent venting	•
Weight in lbs. (kg)	40 (18.0)
Total connected load in kW	1.4



M 2241 SC Built-in microwave oven, 24" width with sensor controls on the side for convenient operation.




EAN: 4002516540335 / Material number: 11845640 / Old Material Number: 24224120USA

Power Rating in V	120
Frequency in Hz	60
Fuse rating in A	10
Number of phases	1
Connection wire with plug	•
Length of power cord in in. (m)	1.60
Standard accessories	

Míele


M 2241 SC

Built-in microwave oven, 24" width with sensor controls on the side for convenient operation.




M2241SC, Seitenansicht, 30 Zoll, Proud, Oberschrank - Skizze - NA


 $7/8^{\prime\prime}$ – 22^{\star} mm – Glass, 15/16" – $23.3^{\star\star}$ mm – Stainless steel



M2241SC, Einbau, 30 Zoll, Proud - Skizze - NA




M2241SC, Einbau, 30 Zoll, Proud, breite Front – Skizze –






M2241SC, Einbau, 30 Zoll, Proud, Oberschrank - Skizze -





M2241SC, Einbau, 30 Zoll, Proud, breite Front, Oberschrank – Skizze – NA




M2241SC, Installation, 30 Zoll, Proud - Skizze - NA

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, ,! – Electrical and water supplies are recommended to be placed in adjacent cabinetry., Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., , E = Electric connection

Miele


M 2241 SC

Built-in microwave oven, 24" width with sensor controls on the side for convenient operation.




M2241SC, Installation, 30 Zoll, Proud, breite Front – Skizze – NA

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, ! – Electrical and water supplies are recommended to be placed in adjacent cabinetry., Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., , E = Electric connection




M2241SC, Seitenansicht, 30 Zoll, Flush, inset – Skizze – NA

7/8" - 22* mm - Glass, 15/16" - 23.3** mm - Stainless




M2241SC, Installation, 30 Zoll, Proud, Oberschrank – Skizze – NA

A – Cut-out (4^n x 28^n / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, ! – Electrical and water supplies are recommended to be placed in adjacent cabinetry., Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., , E = Electric connection




M2241SC, Seitenansicht, 30 Zoll, Flush, inset, Oberschrank – Skizze – NA

7/8" - 22* mm - Glass, 15/16" - 23.3** mm - Stainless



M2241SC, Installation, 30 Zoll, Proud, breite Front, Oberschrank – Skizze – NA

A – Cut-out ($4^* \times 28^* / 100 \text{ mm} \times 720 \text{ mm}$) in the bottom of the cabinet for power cord and ventilation, ! – Electrical and water supplies are recommended to be placed in adjacent cabinetry., Additional cabinet depth is required when placing the electrical and water supplies behind the appliance. , E = Electric connection




M2241SC, Einbau, 30 Zoll, Flush, inset – Skizze – NA 7/8" – 22* mm – Glass, 15/16" – 23.3** mm – Stainless

Miele


M 2241 SC

Built-in microwave oven, 24" width with sensor controls on the side for convenient operation.




M2241SC, Einbau, 30 Zoll, Flush, inset, breite Front – Skizze – NA


 $7/8^{\prime\prime}-22^{\star}$ mm – Glass, 15/16" – 23.3** mm – Stainless steel



M2241SC, Einbau, 30 Zoll, Flush, inset, Oberschrank – Skizze – NA




M2241SC, Einbau, 30 Zoll, Flush, inset, breite Front, Oberschrank – Skizze – NA




M2241SC, Installation, 30 Zoll, Flush, inset - Skizze - NA

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, ! – Electrical and water supplies are recommended to be placed in adjacent cabinetry. Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., , E = Electric connection



M2241SC, Installation, 30 Zoll, Flush, inset, breite Front – Skizze – NA

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, I – Electrical and water supplies are recommended to be placed in adjacent cabinetry., Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., , E= Electric connection




M2241SC, Installation, 30 Zoll, Flush, inset, Oberschrank – Skizzo NA

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, ! – Electrical and water supplies are recommended to be placed in adjacent cabinetry., Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., , E = Electric connection



M 2241 SC

Built-in microwave oven, 24" width with sensor controls on the side for convenient operation.



M2241SC, Installation, 30 Zoll, Flush, inset, breite Front, Oberschrank – Skizze – NA

A – Cut-out (4" x 28" / 100 mm x 720 mm) in the bottom of the cabinet for power cord and ventilation, ! – Electrical and water supplies are recommended to be placed in adjacent cabinetry., Additional cabinet depth is required when placing the electrical and water supplies behind the appliance., , E = Electric connection