SUMMIT

SCR1536BGPNR



33.88" x 14.75" x 22.75" (H x W x D)

15" wide built-in undercounter glass door beverage cooler designed for the display of refrigeration and sealed food in commercial or residential settings, with panel-ready door trim, digital controls, lock, LED light, and black cabinet

Highlights:

Just under 15" wide for an easy fit, with a flush back design to save space

Flexible design allows built-in or freestanding use under counters

Panel-ready door frame allows you to create a truly custom look under the counter

Product Features:

Commercially approved	ETL-S listed to NSF-7 Standards for use in commercial establishments	
Built-in capable	Make the best use of space by installing your appliance under the counter	
Fully finished black cabinet	Allows the unit to be used freestanding	
Panel-ready door trim	Door frame can be customized with a custom overlay panel (panel frame dimensions: 14 $9/16$ " W x 29 $7/8$ " H at $3/4$ " minimum thickness)	
Double pane tempered glass door	Provides a full display of stored contents with a heat-safe double tempered design	
Factory installed lock	Keyed security on the door	
Digital thermostat	Electronic controls for precise temperature management.	
Digital display	Temperature readout can be shown in Celsius or Fahrenheit	
LED lighting	Gentle illumination with an on/off switch	






TIMMUE

SCR1536BGPNR Specifications:

Height of Cabinet 33.88" (86 cm) Width 14.75" (37 cm) Depth 22.75" (58 cm) Depth with door at 90° 36.25" (92 cm) 90° Capacity 2.45 cu.ft. (69 L) Defrost Type Automatic Door Glass/Panel-Ready Frame Cabinet Black US Electrical Safety ETL Canadian Electrical Safety ETL-C Safety Sanitation ETL-S Energy Usage/Year 245.0kWh/year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 77.0 lbs. (35 kg) Parts & Labor 1 Year Warranty 5 Years UPC 761101082868 Refrigerator Features Sabbath Mode Yes Door Swing RHD Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type Refooa Refrigerant Amount 0.64oz. High Side PSI 270.0 <	Overview			
Depth 22.75" (58 cm) Depth with door at 90° Capacity 2.45 cu.ft. (69 L) Defrost Type Automatic Door Glass/Panel-Ready Frame Cabinet Black US Electrical Safety ETL Canadian Electrical Safety ETL-C Safety Sanitation ETL-S Energy Usage/Year 245.0kWh/year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 77.0 lbs. (35 kg) Parts & Labor Warranty Compressor Warranty 5 Years UPC 761101082868 Refrigerator Features Sabbath Mode Yes Door Swing RHD Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Height 23.5" (60 cm) Interior Width 10.25" (26 cm)	Height of Cabinet	33.88" (86 cm)		
Depth with door at 90° Capacity 2.45 cu.ft. (69 L) Defrost Type Automatic Door Glass/Panel-Ready Frame Cabinet Black US Electrical Safety ETL Canadian Electrical Safety Sanitation ETL-S Energy Usage/Year 245.0kWh/year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 77.0 lbs. (35 kg) Parts & Labor Warranty Compressor Warranty 5 Years UPC 761101082868 Refrigerator Features Sabbath Mode Yes Door Swing RHD Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Width 10.25" (26 cm)	Width	14.75" (37 cm)		
Defrost Type Automatic Door Glass/Panel-Ready Frame Cabinet Black US Electrical Safety ETL Canadian Electrical Safety 245.0kWh/year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 77.0 lbs. (35 kg) Parts & Labor Warranty 5 Years UPC 761101082868 Refrigerator Features Sabbath Mode Yes Door Swing RHD Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type Digital Refrigerant Type R600a Refrigerant Amount 0.64oz. High Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Height 23.5" (60 cm) Interior Width 10.25" (26 cm)	Depth	22.75" (58 cm)		
Defrost Type Automatic Door Glass/Panel-Ready Frame Cabinet Black US Electrical Safety ETL Canadian Electrical Safety Sanitation ETL-S Energy Usage/Year 245.0kWh/year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 77.0 lbs. (35 kg) Parts & Labor Warranty Compressor Warranty 5 Years UPC 761101082868 Refrigerator Features Sabbath Mode Yes Door Swing RHD Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type Digital Refrigerant Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Height 23.5" (60 cm) Interior Width 10.25" (26 cm)		36.25" (92 cm)		
Door Glass/Panel-Ready Frame Cabinet Black US Electrical Safety ETL Canadian Electrical Safety Sanitation ETL-S Energy Usage/Year 245.0kWh/year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 77.0 lbs. (35 kg) Parts & Labor Warranty Compressor Warranty 5 Years UPC 761101082868 Refrigerator Features Sabbath Mode Yes Door Swing RHD Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Width 10.25" (26 cm)	Capacity	2.45 cu.ft. (69 L)		
Cabinet Black US Electrical Safety ETL Canadian Electrical Safety Sanitation ETL-S Energy Usage/Year 245.0kWh/year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 77.0 lbs. (35 kg) Parts & Labor Warranty Compressor Warranty 5 Years UPC 761101082868 Refrigerator Features Sabbath Mode Yes Door Swing RHD Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 270.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Width 10.25" (26 cm)	Defrost Type	Automatic		
US Electrical Safety Canadian Electrical Safety Sanitation ETL-S Energy Usage/Year Amps 1.0 Voltage/Frequency Parts & Labor Warranty Compressor Warranty Compressor Warranty UPC 761101082868 Refrigerator Features Sabbath Mode Poor Swing Reversible Shelf Type Shelf Qty Thermostat Type Shelf Qty Thermostat Type Refrigerant Amount Refrigerant Amount Refrigerant Amount U.64oz. High Side PSI Low Side PSI Interior Light Parts & Labor Warranty ETL-C ETLE ETL-C ETL ETL-C ETLE ETL-C	Door			
Canadian Electrical Safety Sanitation ETL-S Energy Usage/Year 245.0kWh/year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 77.0 lbs. (35 kg) Parts & Labor 1 Year Warranty Compressor Warranty 5 Years UPC 761101082868 Refrigerator Features Sabbath Mode Yes Door Swing RHD Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type Digital Refrigerant Type R600a Refrigerant Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Height 23.5" (60 cm) Interior Width 10.25" (26 cm)	Cabinet	Black		
Safety Sanitation ETL-S Energy Usage/Year 245.0kWh/year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 77.0 lbs. (35 kg) Parts & Labor 1 Year Warranty Compressor Warranty 5 Years UPC 761101082868 Refrigerator Features Sabbath Mode Yes Door Swing RHD Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type Digital Refrigerant Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Width 10.25" (26 cm)	US Electrical Safety	ETL		
Energy Usage/Year Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 77.0 lbs. (35 kg) Parts & Labor Warranty Compressor Warranty 5 Years UPC 761101082868 Refrigerator Features Sabbath Mode Yes Door Swing RHD Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type Digital Refrigerant Type R600a Refrigerant Amount 0.64oz. High Side PSI Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Width 10.25" (26 cm)		ETL-C		
Amps 1.0 Voltage/Frequency 115 V AC/60 Hz Weight 77.0 lbs. (35 kg) Parts & Labor 1 Year Warranty 5 Years UPC 761101082868 Refrigerator Features Sabbath Mode Yes Door Swing RHD Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type Digital Refrigerant Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Width 10.25" (26 cm)	Sanitation	ETL-S		
Voltage/Frequency Weight 77.0 lbs. (35 kg) Parts & Labor Warranty Compressor Warranty UPC 761101082868 Refrigerator Features Sabbath Mode Yes Door Swing RHD Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type Digital Refrigerant Type Refrigerant Amount Refrigerant Amount UPC Side PSI Low Side PSI Interior Light Yes Dimensions Interior Width 10.25" (26 cm)	Energy Usage/Year	245.0kWh/year		
Weight 77.0 lbs. (35 kg) Parts & Labor 1 Year Warranty Compressor Warranty 5 Years UPC 761101082868 Refrigerator Features Sabbath Mode Yes Door Swing RHD Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type Digital Refrigerant Type R600a Refrigerant Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Width 10.25" (26 cm)	Amps	1.0		
Parts & Labor Warranty Compressor Warranty DPC T61101082868 Refrigerator Features Sabbath Mode Pactory Reversible Shelf Type Shelf Type Chrome Shelf Qty Thermostat Type Refrigerant Type Refrigerant Amount Refrigerant Amount Digital Refrigerant Amount Digital Refrigerant Amount Digital Refrigerant Type Refooa Refrigerant Type Refooa Refrigerant Amount Digital Refrigerant Type Refooa Refrigerant Type Refooa Refrigerant Amount Digital Refrigerant Type Refooa	Voltage/Frequency	115 V AC/60 Hz		
Warranty Compressor Warranty UPC 761101082868 Refrigerator Features Sabbath Mode Yes Door Swing RHD Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type Digital Refrigerant Type R600a Refrigerant Amount 0.64oz. High Side PSI Low Side PSI 105.0 Level Legs Qty Interior Light Yes Dimensions Interior Width 10.25" (26 cm)	Weight	77.0 lbs. (35 kg)		
UPC 761101082868 Refrigerator Features Sabbath Mode Yes Door Swing RHD Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type Digital Refrigerant Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Height 23.5" (60 cm) Interior Width 10.25" (26 cm)		1 Year		
Refrigerator Features Sabbath Mode Yes Door Swing RHD Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type Digital Refrigerant Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Width 10.25" (26 cm)	Compressor Warranty	5 Years		
Sabbath Mode Yes Door Swing RHD Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type Digital Refrigerant Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Width 10.25" (26 cm)	UPC	761101082868		
Door Swing RHD Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type Digital Refrigerant Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Width 10.25" (26 cm)	Refrigerator Features			
Reversible Factory Reversible Shelf Type Chrome Shelf Qty 3 Thermostat Type Digital Refrigerant Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Height 23.5" (60 cm) Interior Width 10.25" (26 cm)	Sabbath Mode	Yes		
Shelf TypeChromeShelf Qty3Thermostat TypeDigitalRefrigerant TypeR600aRefrigerant Amount0.64oz.High Side PSI270.0Low Side PSI105.0Level Legs Qty4Interior LightYesDimensionsPimensionsInterior Width10.25" (26 cm)	Door Swing	RHD		
Shelf Qty 3 Thermostat Type Digital Refrigerant Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Height 23.5" (60 cm) Interior Width 10.25" (26 cm)	Reversible	Factory Reversible		
Thermostat Type Digital Refrigerant Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Height 23.5" (60 cm) Interior Width 10.25" (26 cm)	Shelf Type	Chrome		
Refrigerant Type R600a Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Height 23.5" (60 cm) Interior Width 10.25" (26 cm)	Shelf Qty	3		
Refrigerant Amount 0.64oz. High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Height 23.5" (60 cm) Interior Width 10.25" (26 cm)	Thermostat Type	Digital		
High Side PSI 270.0 Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions 3.5" (60 cm) Interior Width 10.25" (26 cm)	Refrigerant Type	R600a		
Low Side PSI 105.0 Level Legs Qty 4 Interior Light Yes Dimensions Interior Height 23.5" (60 cm) Interior Width 10.25" (26 cm)	Refrigerant Amount	0.64oz.		
Level Legs Qty 4 Interior Light Yes Dimensions Interior Height 23.5" (60 cm) Interior Width 10.25" (26 cm)	High Side PSI	270.0		
Interior Light Yes Dimensions Interior Height 23.5" (60 cm) Interior Width 10.25" (26 cm)	Low Side PSI	105.0		
Dimensions Interior Height 23.5" (60 cm) Interior Width 10.25" (26 cm)	Level Legs Qty	4		
Interior Height 23.5" (60 cm) Interior Width 10.25" (26 cm)	Interior Light	Yes		
Interior Width 10.25" (26 cm)	Dimensions			
	Interior Height	23.5" (60 cm)		
Interior Depth 16.5" (42 cm)	Interior Width	10.25" (26 cm)		
	Interior Depth	16 F" (42 cm)		



TIMMUZ

