



# XOU24ORS

24" OUTDOOR REFRIGERATOR

## LIFESTYLE OUTDOOR REFRIGERATION



**XOU24ORS**

- Zero Clearance Hinges Flush Integration
- Secure Door Lock
- Non- Reversible Door
- Library Quiet 39 DbA Operation


### 24" UNDERCOUNTER OUTDOOR REFRIGERATOR

Store up to 145 (12oz) cans at a frosty 34° to 50° F and still find just what your are looking for. The clear glass shelves slide out while fully loaded making it easier to store and locate contents at a glance. No more fumbling around or emptying the unit to find what you want.

WORLD CLASS SERVICE | COMPREHENSIVE WARRANTIES

OUR LASTING COMMITMENT TO YOU

\*Specify **R** for right hand hinge - or - **L** for left hand hinge



## FEATURES

CAPACITY

Full extension clear glass shelves hold 145 (12oz) cans at 34° to 50° F

FEATURES

- Zero clearance hinges for flush integration\*
- Secure door lock
- Non-reversible door - specify right or left hinge
- Library quiet 39 dBA operation
- Elegant tri-color interior illumination
- Intuitive digital touch controls
- 6-1/2' Power Cord with low profile 90 flat plug
- Low E Glass blocks harmful UV light
- Alarm Functions
- Energy Saver and Sabbath Mode

## SPECIFICATIONS

- ELECTRICAL** 120V 60HZ 4.35 AMP\*
- DIMENSIONS** H 34 1/8"  
W 23 7/8"  
D 23 1/4"
- ROUGH IN** H 34 1/4" min  
W 24"  
D 24"
- REFRIGERANT** R600A



Two Different Style Handles Included




**NEW**

Optional Modern Design Flat Handle

Note: zero clearance hinges are visible just above and below the door pane




## ROUGH-IN DIMENSIONS



All XO undercounter units arrive pre-wired with low profile plugs for easy installation




Need more space - Cut into an adjoining cabinet to reach an outlet there



When installing with the hinge side next to a wall leave 13 1/2" clearance gap for Cabinet handles

Door must open a minimum of a 110°



If the door cannot open fully You cannot extend the shelves. Consult the manual for Instructions on changing the door stop setting.